

SUPPLEMENT TO

The Gazette



of India

सत्यमेव जयते

No. 4]

NEW DELHI, SATURDAY, JANUARY 31, 1959/MAGHA 11, 1880

OFFICIAL PAPERS

Reported attacks and deaths from cholera, Smallpox, Plague and Typhus in districts in India during the week ending the 27th December, 1958

CHOLERA								SMALLPOX								PLAGUE															
C.				D.				C.				D.				C.				D.											
Andhra Pradesh																Bombay															
Visakhapatnam																"N.R."															
East Godavari																Delhi															
West Godavari																Delhi City															
Krishna																Delhi Notified Area Committee															
Guntur																TOTAL															
Nellore																Total for w/e 20-12-58															
Kurnool																Total for w/e 13-12-58															
Cuddapah																Himachal Pradesh															
Anantapur																"N.R."															
Chittoor																Kerala															
TOTAL																"N.R."															
Total for w/e 20-12-58																Madhya Pradesh															
Total for w/e 13-12-58																"N.R."															
Assam																Madras															
Kamrup																"N. R."															
TOTAL																Manipur															
Total for w/e 20-12-58																TOTAL															
Total for w/e 13-12-58																Total for w/e 20-12-58															
																Total for w/e 13-12-58															
Bihar																Mysore															
Monghyr																"N.R."															
Santal Parganas																Orissa															
Hazaribagh																Cuttack															
Ranchi																Puri															
Palamau																Sambalpur															
TOTAL																Bandh															
Total for w/e 20-12-58																Ganjam															
Total for w/e 13-12-58																Koraput															
																Dhenkanal															

Explanation of Symbols used —C.=Cases ; D.=Deaths ; ..=Nil ; "N. R."=Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 27th December, 1958—*contd.*

CHOLERA								SMALLPOX								PLAGUE									
—		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.	
Orissa—contd.								Uttar Pradesh—contd.																	
Bolangir-Patna	14	Hardoi	3	3									
Sundergarh	3	Jhansi	1								
Kalahandi	75	17	Jaunpur	4	2								
TOTAL	.				37	25	211	35			3									
Total for w/e 20-12-58					70	44	129	36			1								
Total for w/e 13-12-58					30	17	169	40			Muzaffar Nagar	2	2					
Pondicherry								Mainpuri	2									
TOTAL	Saharanpur	11	3									
Total for w/e 20-12-58	Shahjahanpur	4	2									
Total for w/e 13-12-58	1	1	Rampur	8	1									
Punjab								TOTAL	.	.	1	..	102	37									
Rohtak	4	Total for w/e 20-12-58	1	..	165	60										
Jullundur	2	Total for w/e 13-12-58	2	..	114	32										
Gurdaspur	2	West Bengal																
Sangrur	3	Burdwan	.	.	1	..	10								
Total	7	4	Birbhum	6	1								
Total for w/e 20-12-58	13	5	Bankura	1								
Total for w/e 13-12-58	3	3	Midnapur	8	3								
Rajasthan								Hooghly	9	5									
"N.R."								24-Parganas	26	12									
Tripura								Calcutta	.	.	2	..	2	1									
"N.R."								Nadia	1	1									
Uttar Pradesh								Murshidabad	10	6									
Aligarh	2	West Dinajpur	8	4								
Agra	4	2	Darjeeling	1								
Azamgarh	5	Malda	3	1								
Bahraich	2	TOTAL	.	.	3	..	85	34								
Ballia	6	1	Total for w/e 20-12-58	7	3	76	17										
Bijnor	16	2	Total for w/e 13-12-58	7	2	127	40										
Banda	15	14	Total for India (exclud- ing Bombay, Himachal Pradesh, Kerala Madhya Pradesh, Madras, Mysore, Rajasthan & Tripura)	122	71	588	147										
Fatehpur	3	Corresponding Total for w/e 20-12-58	177	98	569	162										
Faizabad	6	1	Corresponding Total for w/e 13-12-58	172	100	611	165										
Gonda	7	2																	
Explonstion of Symbols used :-C=Cases;D=Death . =Nil; "N. R."=Information not received																									

Explanation of Symbols used :—C=Cases; D=Death ..=Nil; "N. R."=Information not received

reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 27th December, 1958—concl'd.

CHOLERA	SMALLPOX	PLAGUE
C. D.	C. D.	C. D.
ARREAR INFORMATION		
West Bengal		
<i>w/e 20-12-58</i>		
Burdwan	14	1
Birbhum	15	1
Midnapur	6	2
Hooghly	1	1
24-Parganas	14	9
Calcutta	6	2
Murshidabad	6	1
West Dinajpur	1	1
Molda	20	2
TOTAL	76	17

CHOLERA	SMALLPOX	PLAGUE
C. D.	C. D.	C. D.
Delhi		
<i>w/e 20-12-58</i>		
Delhi city	4	1
Delhi Notified Area	4	1
Rural Areas	2	..
TOTAL	10	2
Tripura		
<i>w/e 20-12-58</i>		
TOTAL	3	..

REMARKS

SMALL-POX:—Heavy incidence was reported from Koraput and Kalahandi Districts Orissa state.

Explanation of symbols used :— C.—Cases; D.—Deaths; .. — Nil Information.

NEW DELHI-2 (INDIA);
The 19th January, 1959. }

H. R. SHARMA,
for Registrar General, India.

Prosper with the **NATION**

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S *Small Savings Scheme*

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL PLAN SAVINGS CERTIFICATES	Interest at 5.41 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	4 per cent interest paid annually. Available in multiples of Rs. 50/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS	2½ per cent interest added on deposits upto Rs. 10,000/- and 2 per cent on balance upto Rs. 15,000/-.

15-YEAR ANNUITY CERTIFICATES

Issue Prices : Rs. 3,325/-, Rs. 6 650/-, Rs. 13,300/-, & Rs. 26,600/-

Refunded together with compound interest at 4.25 per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

INVEST IN INDIA'S FUTURE

For further particulars and/or rules governing these investments please write to the National Savings Commissioner, Nagpur or to the Regional National Savings Officer of your State

DA - 58/231

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending 27th December, 1958

Towns	Mid-year Popn. Est. (000)	Deaths from :—											Total	D.R.*	I.D.		
		B.	B. R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.							
Andhra Pradesh																	
Assam																	
Bihar																	
Bombay																	
Delhi				w/e 28-6-58													
Delhi city	1,216	513	22.7	28	4	36	..	131	5.6	30				
New Delhi	417	640	79.8	9	1.1	2				
N.A.C. Civil Station Delhi	130	112	44.8	..	2	3	20	2	54	21.6	12				
Delhi Cantt	54	90	86.7				
Delhi Shahdara	58	54	48.3	1	4	..	9	8.1	1				
Total	1,875	1,427	39.6	..	2	..	28	8	60	2	203	5.6	45				
Kerala																	
Madhya Pradesh																	
Madras																	
Ambur	48	28	30.3	1	6	6.5	2				
Arrupukottai.	62	35	29.4	6	5	..	21	17.6	6				
Bodinayakunur	43	23	27.8	3	2	..	9	10.9	4				
Chidambaram	43	44	53.2	1	2	13	15.7	3				
Coimbatore	267	270	52.6	1	1	10	12	3	89	17.4	23				
Cuddalore	76	56	38.3	1	1	1	..	18	12.3	5				
Dindigul	100	156	81.1	4	2	1	..	18	9.4	8				
Erode	77	36	24.3	2	..	21	14.2	7				
Gobichetipalayam	48	13	14.1	1	1	1	7	7.6	..				
Gudiyattam	58	35	31.4	1	2	..	24	21.5	7				
Kancheepuram	93	62	34.7	3	1	7	1	40	22.4	7				
Karaikudi	47	33	36.5	5	1	16	17.7	1				
Karur †																	
Kumbakonam	115	127	57.4	1	13	3	..	55	24.9	6				
Madras City	2,011	1,183	30.6	7	13	..	97	120	173	1	710	18.5	187				
Madurai	488	309	32.9	13	16	20	..	166	17.7	42				
Mayuram	53	52	51.0	2	..	3	1	25	24.5	5				
Maliapalayam	43	13	15.7	1	1	1	..	8	9.7	2				
Nagapattinam	62	70	58.7	4	1	1	1	27	22.6	3				
Nagercoil	109	48	22.9	1	5	1	18	8.6	3				
Ootacamund	53	44	43.2	1	..	9	..	16	15.7	5				
Palni	44	33	39.0	1	6	..	13	15.4	4				
Palayamkottai	48	64	69.3	3	1	..	1	29	31.4	7				
Periyakulam	35	48	71.3	1	5	3	..	19	28.2	4				
Pollachi	60	32	27.7	4	2	..	18	15.6	8				
Pudukottai	54	44	42.4	1	1	1	..	21	20.2	4				
Rajapalayam	74	37	26.0	4	6	4	..	30	21.1	5				
Salem	279	158	29.4	4	4	16	1	62	11.6	10				
Sriangam	46	16	18.1	2	..	9	10.2	1				
Srivilliputtur	45	32	37.0	2	3	3	..	17	19.6	2				
Tanjore	133	123	48.1	1	5	..	43	16.8	9				
Tiruchirappalli	276	142	26.8	5	..	3	..	45	8.5	7				
Tirunalveli	84	62	38.4	1	6	3	..	25	15.5	8				
Tiruppur	73	68	48.4	4	..	16	11.4	3				
Truvannamalai	47	41	45.4	11	12.2	3				
Tuticorin	121	96	41.3	6	16	2	55	23.6	19				

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); ..=Nil Information. "N.R."=Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 27th December, 1958—*contd.*

Towns	Mid-year Popn. Est. (000)	Deaths from :—											D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D	Total			
Madras— <i>contd.</i>														
Vaniyambadi . . .	45	26	30.0	1	..	8	9.2	1	
Vellore . . .	141	128	47.2	1	6	8	..	61	22.5	9	
Villapuram . . .	42	22	27.2	2	2.5	..	
Virudhunagar . . .	57	25	22.8	3	4	14	12.8	..	
TOTAL . . .	5,600	3,834	35.6	7	14	..	159	226	326	15	1,811	16.8	430	
Mysore														
Bangalore . . .	1,246	621	25.9	69	51	10	212	8.8	27	
Mysore . . .	347	169	25.3	10	5	34	5.1	1	
Kolar Gold Fields . . .	180	103	29.7	..	1	..	38	3	4	..	53	15.3	1	
Bellary . . .	83	19	11.9	1	..	2	..	17	10.6	1	
Davangere . . .	85	30	18.3	9	17	10.4	..	
Shimoga . . .	68	42	32.1	11	1	14	10.7	..	
Bhadravati†														
Hospet . . .	51	1	3	1	..	12	12.2	..	
Tumkur . . .	51	37	37.7	15	17	17.3	2	
Kolar†														
Chitaldrug . . .	37	16	22.4	5	7.0	..	
Hassan†														
Bidar†														
Gulbarga†														
Raichur†														
Bijapur†														
Belgaum . . .	110	94	44.4	2	15	7.1	1	
Dharwar†														
Bagalkot †	39	21	28.0	1	3	5	6.6	..	
Mangalore†														
Gadag Betegere . . .	73	59	42.0	14	..	2	..	38	27.0	..	
Hubli†														
TOTAL . . .	2,370	1,211	26.6	..	1	..	100	84	62	10	439	9.6	33	
Orissa														
Behrampur . . .	81	130	83.5	10	12	8	..	56	36.0	5	
Cuttak . . .	129	126	62.9	7	9	5	..	46	18.5	5	
Puri . . .	56	58	53.9	1	7	3	..	29	26.9	9	
TOTAL . . .	266	314	61.4	18	28	16	..	131	25.6	19	
Pondicherry														
"NR"														
Punjab														
Ambala . . .	62	52	43.6	3	2	5	..	16	13.4	7	
Amritsar . . .	359	190	27.5	4	23	2	77	11.2	28	
Batala . . .	66	34	26.8	4	..	4	..	13	10.2	3	
Bhiwani . . .	59	44	38.8	4	..	4	..	13	11.5	2	
Ferozepur . . .	47	27	29.9	1	..	2	..	4	4.4	2	
Hissar . . .	41	32	40.6	2	..	5	..	9	11.4	5	
Hoshiarpur . . .	54	26	25.0	1	8	7.7	1	
Jullundur . . .	230	134	30.4	12	3	3	..	28	6.3	28	
Karnal . . .	83	43	27.0	2	..	11	6.9	2	
Ludhiana . . .	194	103	27.6	1	..	12	..	35	9.3	11	
Moga†														
Panipat . . .	72	24	17.4	7	..	2	..	12	8.7	2	
Pathankot . . .	36	23	33.2	1	..	5	..	8	11.6	1	
Rewari . . .	40	22	28.6	2	..	5	..	9	11.7	4	
Rohtak†														
Simla . . .	53	21	20.5	1	1.0	1	
Sonepat†														
Bhatinda . . .	45	16	18.4	2	6	7.0	3	
Malerkotla . . .	35	14	20.8	2	..	2	..	5	7.5	..	
Patiala . . .	125	11	4.6	9	1	7	..	28	11.7	12	
TOTAL . . .	1,601	816	26.5	51	10	81	2	283	9.2	112	

*In case of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fevers ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending 27th December, 1958—*contd.*

		Deaths from :—													
Towns	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.		
Rajasthan															
Ajmer . . .	244	82	17.4	4	1	10	..	30	8.3	7		
Alwar†															
Beawar†															
Bharatpur†															
Bikaner†															
Churu†															
Ganganagar†															
Jaipur . . .	419	76	9.4	36	9	4	..	89	11.0	32		
Jodhpur†															
Kotah†															
Sikar†															
Tonk†															
Udaipur†															
TOTAL . . .	663	158	12.4	40	10	14	..	119	9.3	39		
Uttar Pradesh															
Agra . . .	404	450	58.1	1	8	132	..	231	29.8	71		
Allahabad . . .	372	195	27.3	3	15	..	52	7.3	14		
Amroha . . .	61	38	32.5	1	5	13	..	28	23.9	9		
Bahraich . . .	49	22	23.4	1	..	2	2.1	..		
Banaras . . .	416	290	36.3	29	8	9	..	138	17.3	38		
Banda†															
Bareilly . . .	206	67	16.9	6	3	9	..	27	6.8	2		
Basti†															
Ballia†															
Bijnor†															
Budaun . . .	55	30	28.4	2	1	1	..	12	11.4	5		
Bulandshahr†															
Chandausi . . .	44	33	39.1	1	2	1	..	5	5.9	2		
Dehra Dun . . .	186	49	13.7	2	3	2	..	20	5.6	3		
Etawah†															
Faizabad-Ayodhya . . .	94	25	13.9	1	2	..	9	5.0	2		
Furkhabad-Fatehgarh . . .	78	33	22.1	5	3	9	..	23	15.4	7		
Firozabad . . .	93	21	11.8	1	1	1	..	4	2.2	1		
Ghaziपुर†															
Ghaziabad . . .	68	29	22.2	2	1.5	..		
Gonda . . .	35	14	20.8	1	4	5.7	2		
Gorakhpur . . .	150	60	20.8	6	3	5	..	25	8.7	4		
Hapur . . .	65	38	30.5	10	1	1	..	19	15.2	6		
Hardwar†															
Hathras . . .	65	46	36.9	7	1	10	1	28	22.5	7		
Jaunpur . . .	59	30	26.5	3	1	4	..	12	10.6	2		
Jhansi . . .	132	133	52.5	18	1	5	..	31	12.2	13		
Kanpur . . .	810	328	21.1	109	24	45	8	309	19.9	73		
Kasganj . . .	34	14	21.5	1	..	1	..	3	4.6	..		
Khurja . . .	41	25	31.8	12	..	2	..	17	21.6	2		
Koil-Aligarh . . .	167	136	42.5	4	5	5	..	20	6.2	4		
Lucknow . . .	525	305	30.3	12	6	13	..	109	10.8	23		
Mathura . . .	118	66	29.2	8	1	7	1	26	11.5	3		
Mau-Nath Bhanjan . . .	39	25	34.4	1	1	9	12.0	3		
Meerut . . .	198	96	25.7	3	..	6	1	19	5.0	2		
Mirzapur-Vindhyachal . . .	100	41	21.4	4	1	5	..	17	8.9	4		
Moradabad . . .	165	120	37.9	7	3	20	..	45	14.2	7		
Muzaffarnagar . . .	81	40	25.7	7	..	3	..	13	8.4	5		
Pilibhit . . .	47	21	23.3	2	3	2	..	16	17.7	3		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.—Births ; B.R. —Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D. —Respiratory Diseases ; M.D. —Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil Information ; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 27th December, 1958—contd.

Town	Mid-Year Popn. Est. (000)	Death from										Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
Uttar Pradesh—contd.														
Rampur†														
Saharanpur	178	122	35·7	17	..	4	..	38	11·1	11	
Sambhal†														
Sitapur	52	25	25·1	3	1	1	..	6	6·0	2	
Shahjahanpur	112	62	28·9	14	..	2	..	26	12·1	8	
TOTAL	5,299	3,029	27·7	278	91	336	11	1,345	13·2	338	

West Bengal

"N.R.,

ARREAR INFORMATION

w/e 20-12-58

Andhra Pradesh

Adoni	72	44	31·8	1	10	7·2	5
Anantpur	42	19	23·5	2	..	5	6·2	1
Anakapalli	51	24	24·5	2	1	..	1	11	11·2	2
Bhimavaram	41	27	34·2	1	3	11	13·9	3
Chirala	48	23	24·9	6	1	3	..	15	16·2	1
Chittoor	50	23	23·9	6	..	1	..	16	16·6	7
Cuddapah	46	30	33·9	2	..	2	..	15	17·0	2
Ellore	108	11	19·7	3	..	3	..	15	7·2	2
Gudivada	40	35	45·5	2	..	3	..	11	14·3	1
Guntur	168	78	24·2	6	2	7	..	50	15·5	14
Guntakal†													
Kakinada†													
Kurnool	74	51	35·9	5	3	1	..	23	16·2	7
Masulipatnam	95	46	25·2	3	..	2	..	21	11·5	4
Nandyal	40	18	23·4	1	..	5	6·5	..
Nellore	107	99	48·1	4	41	19·9	8
Proddutur	46	37	41·8	3	2	4	..	13	14·7	4
Rajahmundry	137	120	45·6	8	1	3	..	51	19·4	12
Tenali	76	63	43·1	1	1	3	..	13	8·9	6
Vijayawada	253	152	31·3	10	5	7	1	60	12·3	20
Visakhapatnam†													
Vizianagaram	81	45	28·9	2	2	2	1	23	14·8	5
Hyderabad	1,291	264	10·6	16	4	24	2	157	6·3	7
Warrangal†													
Nizamabad	81	11	7·1	1	1	4	..	6	3·9	..
Korhagudiam†													
Secunderabad	192	130	35·2	2	..	3	..	22	5·9	2
TOTAL	3,139	1,380	22·9	83	27	75	5	594	9·8	113

Assam

w/e 29-11-1958

Gauhati	58	3	2·7	6	12	10·8	1
Shillong†													
Dibrugarh	54	4	3·9	1	1·0	..
Silchar	57	40	36·5	3	1	12	10·9	3
TOTAL	169	47	14·5	9	1	25	7·7	4

Supplementary Figures

w/e 6-12-1958

Hoshiarpur	54
Jullundur	230	164	37·2	12	3	7	..	36	8·2	5

w/e 13-12-58

Moga	45	36	41·7	3	..	3	..	11	12·7	2
Jullundur	230	138	31·3	10	3	12	..	33	7·5	10
Ferozepur	47	23	25·5	2	2	2	..	10	11·1	5

w/e 20-12-58

Ferozepur	47	30	33·3	1	1	2	..	5	5·5	1
Moga	45	32	37·0	1	..	4	4·6	1

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..=Nil information "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 27th December, 1958—*contd.*

Town	Mid-year Popn. Est. (000)	B.	B.R.*	Deaths from :—								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Supplementary figures														
w/e 20-12-1958														
Bikaner	117	50	22.0	3	..	9	1	28	12.3	1	
Ganganagar	65	2	1.6	4	7	5.6	2	
Kotah	83	8	5.0	..	1	..	11	2	4	1	26	16.2	..	
Tonk	46	1	1.1	
w/e 13-12-58														
Tonk	46	1	1.1	
w/e 6-12-58														
Tonk	46	4	4.5	1	1	1.1	..	
w/e 29-11-1958														
Tonk	46	1	1.1	1	..	1	1.1	..	
w/e 22-11-1958														
Tonk	46	4	4.5	
w/e 15-11-58														
Tonk	46	4	4.5	
w/e 8-11-58														
Tonk	46	4	4.5	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used : —B.=Births ; B.R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fever ; D.D.=Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I. D.=Infantile Deaths (included in total deaths) ; ..= Nil Information :

REMARKS

The figures of births and deaths shown in this statement for week-ending the 27th December, 1958 relate to 110 towns from the States of Delhi, Madras, Mysore, Orissa, Punjab, Rajasthan and Uttar Pradesh with a population coverage of 17,674 thousands out of the total population of 46,461 thousand in 320 towns of the country. The number of births and deaths recorded in these towns were

10,789 and 4,331 registering birth and death rates of 31.7 and 12.7 per thousand of population respectively.

The town of Behrampur in the State of Orissa recorded a high death rate of 36.0 per thousand of population. The following table gives the registered rates for different States:—

States	Current w/e 27-12-58		Corresponding w/e last year	
	B.R.	D.R.	B.R.	D.R.
Delhi	39.6	5.6	39.9	12.7
Madras	35.6	16.8	37.6	19.8
Mysore	26.6	9.6	26.9	14.0
Orissa	61.4	25.6	62.6	41.8
Punjab	26.5	9.2	26.3	9.2
Rajasthan	12.4	9.3	11.9	8.4
Uttar Pradesh	27.7	13.2	33.9	13.5
India	31.7	12.7	33.4	15.3

NEW DELHI-2 (INDIA) ;
The 9th January, 1959. }

H. R. SHARMA,
for Registrar General, India.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 3rd January, 1959

CHOLERA								CHOLERA							
SMALLPOX				PLAGUE				SMALLPOX				PLAGUE			
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
Andhra Pradesh								Madhya Pradesh							
Srikakulam	5	3	"N. R."							
Visakhapatnam	3	Madras							
East Godavari	8	5	4	1	Madras city	35	6	35	7
West Godavari	3	1	6	Chingleput	40	18	14	1
Krishna	7	5	South Arcot	..	1	13	5
Guntur	16	7	18	3	Tanjore	21	10
Nellore	23	14	6	2	Madurai	19	3
Kurnool	3	3	Ramanathapuram	1	2
Anantapur	1	1	North Arcot	7	4
TOTAL	57	32	46	13	Salem	40	9
Total for w/e 27-12-58	72	43	99	18	Coimbatore	19	7
Total for w/e 20-12-58	67	34	97	22	The Nilgiris	1
Assam								Kanya Kumari	3
Darrang	6	3	TOTAL	75	25	172	49
Kamrup	4	5	Total for w/e 27-12-58	35	17	145	52
TOTAL	10	3	..	5	Total for w/e 20-12-58	57	17	147	36
Total for w/e 27-12-58	9	3	8	Mysore							
Total for w/e 20-12-58	28	15	Mandya	2
Bihar								Mysore	3
"N. R."								Belgaum	3
Bombay								Bijapur	3	2
Greater Bombay	6	1	Coorg (Mercara)	3
Ahmednagar	20	2	Dhavar	24	3
East Khandesh	20	4	TOTAL	38	5
Nasik	25	1	Total for w/e 27-12-58	65	17
Poona	12	1	Total for w/e 20-12-58	3	4	38	9
North Satara	7	Manipur							
Sholapur	2	1	TOTAL
Amraoti	6	1	Total for w/e 27-12-58
TOTAL	2	1	96	10	Total for w/e 20-12-58
Total for w/e 27-12-58	147	12	Orissa							
Total for w/e 20-12-58	4	2	87	13	Puri	16	6
Delhi								Balasore	11	8	1
"N. R."								Ganjam	24	13	33	13	..
Himachal Pradesh								Koraput	75	24
"N. R."								Sambalpur	19	5
Kerala								Bolangir Patna	44	15
"N. R."															

Explanation of symbols used :—C.—Cases ; D.—Deaths ; ..—Nil ; "N. R."—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 3rd January, 1959—*contd.*

CHOLERA								CHOLERA							
SMALLPOX				PLAGUE				SMALLPOX				PLAGUE			
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
Orissa—Contd.								Uttar Pradesh—Contd.							
Khondmals	11	Mainpuri	1
Mayurbhanj	1	Muzaffar nagar	3	1
Kalahandi	92	26	Saharanpur	11	7
TOTAL	35	21	292	89	3
Total for w/e 27-12-58	37	25	211	35	Varanasi	1
Total for w/e 20-12-58	70	44	129	36	TOTAL	120	54
Pondicherry								Total for w/e 27-12-58	1	..	102	37
TOTAL	7	5	Total for w/e 20-12-58	1	..	165	60
Total for w/e 27-12-58	West Bengal							
Total for w/e 20-12-58	"N.R."							
Punjab								TOTAL for India (Excluding Bihar, Delhi, Himachal Pradesh, Kerala, Madhya Pradesh, Punjab, Rajasthan, Tripura and West Bengal).							
"N.R."								179	82	771	230
Rajasthan								Corresponding total for w/e 27-12-58							
"N.R."								154	88	784	175
Tripura								Corresponding total for w/e 20-12-58							
"N.R."								220	116	663	176
Uttar Pradesh								ARREAR INFORMATION							
Azamgarh	6	3	Bombay							
Agra	5	2	w/e 27-12-58							
Aligarh	25	6	Amreli	5
Almora	1	Karia	4	1
Bareilly	1	1	Surat	1
Bahraich	3	Sorath	6
Ballia	10	4	Ahmednagar	15	3
Banda	2	3	East Khandesh	23	3
Bijnor	3	3	Nasik	12
Deoria	9	2	Poona	16	2
Ferozabad	3	North Satara	17	1
Faizabad	4	3	Ratnagiri	18	1
Ghazipur	19	11	South Satara	4
Hardoi	4	3	West Khandesh	1	1
Jhansi	3	Amraoti	6
Kanpur	4	Ycotal	19
Kheri	1	2	TOTAL	147	12

Explanation of symbols used:—C.—Cases; D.—Deaths; ..—Nil; "N.R."—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 3rd January, 1959—concl'd.

		CHOLERA		SMALLPOX		PLAGUE				CHOLERA		SMALLPOX		PLAGUE	
		C.	D.	C.	D.	C.	D.			C.	D.	C.	D.	C.	D.
Madras								Mysore							
<i>w/s 22-11-58</i>								<i>w/s 27-12-58</i>							
Madras city	.	10	5	53	13	Bangalore	15	6
Chingleput	.	25	12	20	8	Kolar	4	1
South Arcot	3	1	Mysore	14	2	.	.
Tanjore	4	2	Ralchur	7	2
Ramanthapuram	2	Bijapur	14	1
North Arcot	7	8	Dharwar	9	5	.	..
Salem	27	10	Coorg (Mercara)	2
Coimbatore	23	5	TOTAL	65	17
The Nilgiris	4	2	REMARKS							
Kanya Kumari	4	1	Epidemic and heavy conditions of the disease were reported from Kalahandi and Koraput districts of Orissa State.							
TOTAL	.	35	17	145	52								

Explanation of Symbols used :—C=Cases; D=Deaths; .. =Nil; "N.R."=Information not received.

NEW DELHI-2 (INDIA) }
Dated the 26th January, 1959 }

H. R. SHARMA,
for Registrar General, India.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 3rd January, 1959.

Town	Mid-year Popn. Est. (000)	B.	B.R.*	Deaths from :—								Total	D.R.*	I.D.		
				C.	S.	P.	F.	D.D.	R.D.	M.D.						
Andhra Pradesh				"N.R."												
Assam				"N.R."												
Bihar				"N.R."												
Bombay				"N.R."												
Delhi																
Delhi City	1,216	584	24.9	75	11	64	..	269	11.5	77			
New Delhi	417	269	33.5	2	1	..	26	3.2	7			
N.A.C. Civil Station, Delhi	130	40	37.4	6	..	7	6.6	7			
Delhi Cantt	54			
Delhi Shahdara	58	72	64.6	1	..	6	..	14	12.6	1			
TOTAL				1,875	965	26.8	76	13	77	..	316	8.8	92
Kerala				"N.R."												
Madhya Pradesh				"N.R."												
Madras				"N.R."												
Mysore																
Bangalore	1,246	519	21.7	74	54	..	258	10.8	33			
Mysore	347	164	24.6	12	8	4	..	74	11.1	2			
Kolar Gold Fields . . .	180	129	37.3	6	1	7	..	35	10.1	1			
Bellary.	83	43	26.9	1	1	4	1	28	17.5	4			
Davangere	85	32	19.5	4	11	6.7	2			
Shimoga	68	38	29.0	6	7	5.3	..			
Bhadravati†																
Hospet	51	25	25.4	1	..	2	..	6	6.1	2			
Tumkur†																
Kolar†																
Chitaldrug†																
Hassan †																
Bidar†																
Gulbarga†																
Raichur†																
Bijapur†																
Belgaum	110	124	58.6	3	..	1	..	35	16.5	4			
Dharwar	85	13	7.9	6	3.7	..			
Bagalkot	39	15	20.0	1	..	4	..	5	12.0	..			
Mangalore	153	255	96.6	4	3	1	..	61	20.7	3			
Gadag Betegere	73	53	37.8	5	..	2	2	24	17.1	1			
Hubli†																
TOTAL				2,520	1,410	29.1	43	87	82	3	550	11.3	52
Orissa																
Behrampur	81	70	45.5	7	8	2	..	49	31.5	6			
Cuttack	129	181	72.0	10	7	8	..	58	23.4	13			
Puri	56	57	52.9	6	3	1	..	33	30.6	6			
TOTAL				266	308	60.2	23	18	11	..	140	27.4	25

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..=Nil Information ; N.R.—Information not received.

Births and Deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 3rd January 1959—*contd.*

Town	Mid-year Popn. Est. (000)	Deaths from :—									Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.			
Pondicherry	68	89	68.0	3	1	3	..	14	10.7	6
Punjab													
Ambala	62	52	43.6	2	3	1	10	8.4	3
Amritsar	359	442	64.0	6	28	..	89	12.9	24
Barala	66	53	41.8	6	..	6	..	24	18.9	13
Bhiwani	59	22	19.4	1	..	3	..	5	4.4	..
Ferozepur	47	12	13.3	1	..	3	3.3	..
Hissar	41	36	45.7	1	1	3	..	10	12.7	4
Hoshiarpur	54	38	36.6	4	9	8.7	1
Jullundur	230	154	34.8	8	4	10	..	26	5.9	7
Karnal	83	54	33.8	6	13	8.2	1
Ludhiana	194	183	49.1	1	..	13	..	46	12.4	12
Moga	45	40	46.2	1	..	3	..	8	9.3	2
Panipat	72	41	29.6	5	2	2	..	12	8.7	3
Pathankot	36	26	37.6	3	..	6	8.7	1
Rewari	40	34	44.2	2	..	1	..	7	9.1	3
Rohtak	96	94	51.0	6	2	4	..	27	14.6	7
Simla	53	30	29.4	3	..	6	5.9	4
Sonepat	36	35	50.6	3	..	1	..	9	13.0	2
Bhatinda†													
Malerkotla	35	26	38.6	2	..	3	..	5	7.5	..
Patiala	125	85	35.4	15	1	7	..	65	27.1	17
TOTAL	1,733	1,457	43.7	61	18	94	1	380	11.4	104
Rajasthan													
Ajmer	244	119	25.3	11	2	6	..	34	7.2	6
Alwar	61	14	11.9	1	..	1	..	4	3.4	..
Beawar†													
Bharatpur	39	2	2.6	2	1	3	4.0	..
Bikaner †													
Churu†													
Ganganagar†													
Jaipur	419	113	14.0	54	5	5	..	96	11.9	27
Jodhpur†													
Korah†													
Sikar†													
Tonk †													
Udaipur	121	4	1.2	1	..	2	1	7	3.0	2
TOTAL	884	252	14.8	69	8	14	1	144	8.5	35
Uttar Pradesh													
Agra	404	315	40.5	3	3	61	..	120	15.4	28
Allahabad	372	200	28.0	3	1	24	..	55	7.7	10
Amroha	61	45	38.5	2	..	10	..	24	20.5	6
Bahraich	49	17	18.1	1	4	4.2	2
Banaras	416	324	40.6	30	6	10	..	135	16.9	35
Banda †													
Barcilly†													
Basti†													
Ballia†													
Bijnor	33	11	17.4	1	1.6	1
Budaun	55	30	28.4	1	..	5	..	20	18.1	5
Bulandshahr.	45	8	9.3	4	4	4.6	1
Chandausi	44	20	23.7	1	..	1	..	6	7.1	3
Dehra Dun	186	44	12.3	1	..	1	..	7	2.0	1
Etawah†													

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.=Births ; B.R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Feyers ; D.D.=Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths) ; ..=Nil information.

Births and Deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 3rd January, 1959—*contd.*

Towns	Mid-year Popn. Est. (000)	Deaths from :—										Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
Uttar Pradesh— <i>contd.</i>														
Faizabad-Ayodhya .	94	27	15.3	3	..	12	6.6
Farukhabad-Fatehgarh .	78	42	28.1	6	1	4	..	15	10.0	3	..
Firozabad .	93	70	39.2	2	..	2	..	10	5.6	2	..
Ghazipur	35	20	29.7	7	1	1	..	10	14.9
Ghaziabad	68	30	23.0	3	5	3.8
Gonda	35	9	13.4	2	2	3.0
Gorakhpur	150	104	36.1	4	4	6	..	26	9.0	4	..
Hapur	65	34	27.3	3	..	2	..	5	4.0	2	..
Hardwar†														
Hathras	65	31	24.9	4	..	5	..	14	11.2	4	..
Jaunpur	59	20	17.7	3	..	2	..	8	7.1	1	..
Jhansi	132	82	32.4	21	..	2	..	31	12.2	6	..
Kanpur	810	436	28.1	109	27	41	11	307	19.8	64	..
Kasganj	34	8	12.3	4	6	9.2	1	..
Khurja	41	14	17.8	6	..	2	..	8	10.2
Koili-Aligarh	167	146	45.6	8	3	9	1	29	9.0	8	..
Lucknow	525	403	40.0	..	1	..	29	29	35	..	249	24.7	43	..
Mathura	118	96	42.4	9	1	4	..	20	8.8	6	..
Mau-Nath Bhanjan .	39	18	24.1	7	1	16	21.4	2	..
Meerut	198	128	33.7	6	..	9	..	22	5.8	3	..
Mirzapur-Vindhyachal .	100	45	23.5	4	..	3	..	15	7.8	2	..
Moradabad	165	140	44.2	10	7	19	..	49	15.5	8	..
Muzaffarnagar	81	48	30.9	4	1	1	..	9	5.8	3	..
Pilibhit	47	29	32.2	3	2	11	..	22	24.4	5	..
Rampur†														
Seharaipur	178	100	29.3	23	1	3	..	43	12.6	14	..
Sambhal†														
Sitapur †														
Shahjahanpur	112	93	43.3	9	1	3	..	19	8.8	7	..
TOTAL	5,154	3,187	32.2	..	1	..	331	90	279	12	1,328	13.4	280	..

West Bengal

"N.R."

ARREAR INFORMATION

Bihar		w/o 20-12-1958												
Arrah	74	6	4.2	6	..	2	..	10	7.0
Bettiah	40	5	6.5	2	4	5.2
Bhagalpur	133	29	11.3	4	21	8.2
Bihar Chapra†	70	23	17.1	3	8	5.9
Darbhanga	98	20	10.6	5	2	3	..	11	5.8
Dhanbad	48	14	15.2	5	5.4
Dinapur	45
Gaya	159	30	9.8	6	1	13	..	34	11.1
Hazaribagh	42	19	23.5	2	3.5
Jamalpur	48	6	6.5	3	3.2
Jamshedpur†														
Katihar	60	6	6.1	1	0.9
Monghyr	84	7	4.3	1	..	1	..	4	2.5
Muzaffarpur†														
Patna	371	97	13.6	1	10	..	23	1	7	1	105	14.7
Ranchi	157	24	7.9	10	1	17	5.6	3	..
TOTAL	1,429	286	10.4	1	10	..	60	5	26	1	225	8.2	3	..

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.—Births ; B. R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D. D.—Dysentery and Diarrhoea ; R. D.—Respiratory Diseases ; M. D.—Maternal Deaths ; D. R.—Death Rate ; I. D.—Infantile Deaths (included in total deaths) ; ..—Nil information ; "N.R."—Information not received.

Births and Deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 3rd January, 1959—*contd*

ARREAR INFORMATION

Towns	Mid-year popn. Est. (000)	Deaths from —										Total	D.R.*	I.D.
		B	B.R.*	C.	S	P.	F.	D D	R D	M D.				
Bihar		w/e 27-12-1958												
Arrah	74	4	2.8	3					4	2.8	.
Bettiah	40	9	11.7	3			4	5.2	
Bhagalpur	133	23	9.0	4			25	9.8	
Bihar	70	16	11.9	1	1				5	3.7	
Chapra†														
Darbhanga	98	19	10.1		3	1.6	
Dhanbad	48	10	10.8							1		4	4.3	
Dinapur	45													
Gaya	159	73	23.9	7	4	15			41	13.4	
Hazaribagh	42		
Jamalpur	48	2	2.2									
Jamshedpur	266	151	29.5	1	1	1	..		21	4.1	18
Katihar†														
Monghyr	84	11	6.8	1	1		..		7	4.3	..
Muzaffarpur	92	23	13.0	4		1			15	8.5	..
Patna	371	158	22.1	3	2	1	..		39	5.5	..
Ranchi]	157	9	3.0	..	3	..	3	1	..			16	5.3	..
TOTAL	1727	519	15.6	..	3	..	30	10	19			184	5.5	18
Bombay		w/e 13-12-1958												
Ahmedabad	970	641	344				11	14	95		331	17.7	115	
Ahmednagar	108	64	30.8			..	2	3	5	1	22	10.6	7	
Amalner	54	34	32.7			.	4	..	1		9	8.7	1	
Baroda	266	247	48.3		27	2	15	..	85	16.6	19	
Barsi	48	38	41.2			..	7	..			16	17.3	4	
Bhusawal	73	42	29.1				2		10	7.1	1	
Broach	68	20	15.3				5		2	..	18	13.8	..	
Cambay†	42	38	47.0				..	4			22	27.2	3	
Chalisgaon	38	19	26.0		3	1	1	1	7	9.6	2	
Dhule	101	52	26.8		4	..	1	..	12	6.2	1	
Godhret†														
Greater Bombay	4,117	2,318	29.3		1	..	7	40	103	4	691	8.7	..	
Jalgaon	88	22	13.0			..	2	..	2		11	6.5	..	
Kalyan	93	36	20.1				..	1	1	..	9	5.0	1	
Kolhapur	181	101	29.0		3	1	5	..	38	10.9	4	
Malegaon	74	50	35.1			..	13	..	2		24	16.8	6	
Miraj	47	33	36.5		4	2	16	17.7	2	
Nadiad	78	46	30.7			..	9	..	2		21	14.0	17	
Nandurbar	38	29	39.7		2	1	11	15.1	1	
Nasik	151	61	21.0			..	1	1	3	..	27	9.3	8	
Narsari	52	34	34.0		3	4	4.0	1	
Pandharpur	47	46	50.9		5	3	8	1	30	33.2	4	
Patna	49	43	45.6		1	1	5		15	15.9	3	
Poona	717	206	27.1			..	1	1	19	..	107	17.7	29	
Sangli	66	33	26.0			..	3	3	2		17	13.4	3	
Satara	43	35	42.3		1	15	18.0	1	
Sholapur	325	234	37.4		9	9	37	..	127	20.3	22	
Surat	270	225	43.3		6	3	27	..	101	19.4	25	
Thana †														
Bhavnagar	171	126	38.3		8	3	5	..	33	10.0	6	
Dhoraji	49	28	29.7		5			..	7	7.4	2	
Jamnagar	138	19	7.2		6	1	8		22	8.3	8	
Junagarh	66	55	43.3			..	9	..	2	..	25	19.7		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used.—B.—Births; B.R.—Birth Rate; C.—Cholera, S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 3rd January, 1959—*contd.*

Deaths from :—

Towns	Mid.-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total D.R.*	I.D.
Bombay—<i>contd.</i>												
Morvi	44	19	22.5	2	..	2	..	5	5.5
Porbander	68	45	34.4	12	1	3	1	23	17.6
Gondal	43	23	27.8	2	1	5	..	9	10.7
Rajkot	217	104	24.9	17	3	7	..	47	11.3
Veraval	50	11	11.4	5	..	2	..	15	15.6
Surendranagar	52	16	16.0	2	..	1	..	5	5.0
Nagpur	602	234	20.2	40	18	65	2	312	27.0
Achalpur	39	25	33.3	8	1	1	..	14	18.7
Akola	110	98	46.3	12	1	1	..	33	15.6
Chanda	45	66	76.3	1	2	2	..	20	23.1
Gondia	56	21	19.5	3	3	2.8
Hinganghat	37	38	53.4	5	11	15.5
Khamgaon	47	12	13.3	3	4	4.4
Wardha	51	29	29.6	1	3	3.1
Yeotmal	45	30	34.7	10	2	3	..	25	28.9
Kamptee	40	27	35.1	1	5	6.5
Amravati	111	147	68.9	7	4	4	..	35	16.4
Aurangabad	81	14	9.0	2	..	3	..	10	6.4
Lathur	46	26	27.2	2	..	5	5.7
Nanded	98	27	14.2	1	1	..	5	2.7
Parbhani	46	1	1.1
Jalna	80	10	6.5	1	..	2	..	4	3.3
TOTAL	10,636	5,997	29.3	..	1	..	290	129	457	10	2,477	12.1
Bombay w/c 20-12-58												
Ahmedabad	970	802	43.3	11	8	88	..	308	16.5
Ahmednagar	108	75	36.1	1	..	8	..	29	14.0
Amalner	54	38	36.6	6	8	7.7
Baroda	266	231	45.2	16	..	10	1	63	12.3
Barsi	48	37	40.1	2	10	10.8
Bhusawal	73	26	18.5	6	1	1	..	13	9.3
Broach	68	67	51.2	6	..	9	..	26	19.9
Cambay	42	37	45.8	6	7.4
Chalisgaon	38	19	26.0	1	..	1	3	7	9.6
Dhulia	101	64	33.0	6	..	3	..	18	9.3
Godhra	41	56	71.0	7	..	1	..	17	21.6
Greater Bombay	4,117	2,593	32.7	3	40	70	1	591	7.5
Jalgaon	88	33	19.5	3	1	5	..	17	10.0
Kalyan	93	45	25.2	3	..	13	7.3
Kolhapur	181	89	25.6	3	2	9	..	66	19.0
Malegaon	74	43	30.2	17	1	1	..	28	19.7
Miraj	47	14	15.5	1	1	7	7.8
Nadiad	78	63	42.0	3	..	1	..	17	11.3
Nandurbar	38	26	35.6	2	..	1	..	9	12.3
Nasik	151	130	44.8	1	2	2	..	28	9.6
Narsari	52	44	44.0	6	..	1	..	10	10.0
Pandharpur	47	34	37.6	3	3	4	..	15	16.6
Patna	49	39	41.4	2	1	4	..	25	26.5
Poona	717	265	19.2	..	1	1	18	..	115	8.3
Sangli	66	25	19.7	5	..	3	..	17	13.4
Satara	43	33	39.9	5	..	2	1	17	20.6
Sholapur	325	261	41.8	11	8	30	..	114	18.2
Surat	270	229	44.1	10	2	14	..	75	14.4
Thana † Bhavnagar	171	77	23.4	11	3	8	..	39	11.9
Dhoraji	49	33	35.0	2	..	2	..	7	7.4
Jamnagar	138	17	6.5	9	..	5	..	19	7.2
Junagarh	66	44	34.7	3	4	1	3	24	18.9

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.=Births ; B.R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fever ; D.D.=Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths) ; .. =Nil.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 3rd January, 1959—*contd.*

Towns	Mid-year popn. Est (000)	B.	Deaths from								Total	D.R. *	I.D.
			B.R. *	C.	S.	P.	F.	D.D.	R.D.	M.D.			
Bombay—contd.													
Morvi	44	27	29.6	5	5.9	..
Porbander	68	19	14.5	2	1	2	..	6	4.6	..
Gondal	43	50	60.5	2	1	5	6.0	..
Rajkot	217	142	34.0	4	4	9	..	37	8.8	15
Veraval	50	6	6.2	5	..	1	1	19	19.8	5
Surendranagar	52	19	19.0	5	9	9.0	..
Nagpur	602	201	17.4	..	2	..	62	33	66	4	441	38.1	12.6
Achalpur	39	23	30.7	2	1	1	..	8	14.7	..
Akola	110	110	52.0	10	3	1	..	37	17.5	4
Chanda	45	25	28.9	5	..	1	..	11	22.7	2
Gondia	56	15	13.9	5	..	1	1	10	9.3	3
Hinganghat	37	39	54.8	6	1	14	19.7	4
Khamgaon	47	24	26.6	3	4	4.4	..
Wardha	51	24	24.5	1	..	1	..	5	5.1	2
Ycotmal	45	34	39.3	6	2	5	..	20	23.0	7
Kamptee	40	21	27.3	4	..	3	..	14	18.2	3
Amravati	111	55	25.8	8	..	2	..	31	14.5	11
Aurangabad	81	10	6.4	2	1	4	1	8	5.1	..
Lathur	46	5	5.7	1	3	3.4	..
Nanded	98	30	15.9	1	..	2	..	5	2.7	..
Parbhani	46	2	2.3	1	..	1	..	3	3.4	..
Jaina	80	7	4.6	1	..	2	..	4	2.6	..
TOTAL	10,677	6483	31.6	..	3	..	297	126	407	16	2457	12.0	606

Madhya Pradesh

w/e 20-12-58

Bilaspur†													
Burhanpur†													
Damoh	47	25	27.6	2	8	8.8	..
Jabalpur	267	270	52.5	10	6	49	..	80	15.5	15
Khandwa†													
Raipur†													
Murwara†													
Sagar†													
Chindwara†													
Raigarh†													
Itarsi†													
Greater Gwalior	297	57	9.9	..	1	..	2	..	3	1	23	4.0	3
Indore	423	254	31.2	7	..	22	..	89	10.9	30
Ratlam†													
Ujjain	183	69	19.6	13	1	44	12.5	10
Bhopal City†													
Mandsaur	48	9	9.7	1	..	3	..	4	4.3	..
TOTAL	1,265	584	28.1	..	1	..	35	6	77	2	248	10.1	58

Rajasthan

Supplementary Figures w/e 27-12-58

Ajmer	244												
Alwar	61												
Beawar	65												
Bharatpur	39	6	8.0
Bikaner	117	85	37.4	3	5	6	..	40	17.5	10
Churu	52	3	3.0
Ganganagar	65	2	1.6	6	6	4.8	1
Jaipur	419												
Jodhpur	233												
Kotah	83	9	5.0	11	1	1	..	15	9.3	4
Sikar	55												
Touk	46												
Udaipur	121	20	8.6	2	..	2	..	6	3.4	2
w/e 20-12-58													
Bharatpur	39	5	6.6	4	4	5.3	..
w/e 13-12-58													
Bharatpur	39	3	4.0	4	1	5	6.6	2
w/e 6-12-58													
Bharatpur	39	4	5.3	2	2	4	5.3	..

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of Symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information, "N. R."—Not Received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 3rd January, 1959—*contd.*

Town	Mid-year popn. Est. (000)	B.	B.R.*	Deaths from :—									Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.					
ARREAR INFORMATION															
Bharatpur	39	10	13.3	w/e 29-11-58									4	5.3	1
"	39	4	5.3	w/e 22-11-58									4	5.3	1
"	39	4	5.3	w/e 15-11-58									5	6.6	..
"	39	9	12.0	w/e 8-11-58									4	5.3	..
Sikar	55	3	2.8	w/e 13-12-58									4	4.7	..
"	55	2	1.8	w/e 6-12-58									3	2.8	..
"	"	13	12.2	w/e 29-11-58									1	0.9	..
"	"	15	14.1	w/e 22-11-58									4	3.7	..
"	"	6	5.6	w/e 15-11-58									1	0.9	..
"	"	23	21.7	w/e 8-11-58									3	2.8	..
"	"	6	5.6	w/e 1-11-58									3	2.8	..
"	"	6	5.6	w/e 25-10-58									2	1.8	..
"	"	12	11.8	w/e 18-10-58									5	4.7	..
"	"	15	14.1	w/e 11-10-58									3	2.8	..
"	"	5	4.7	w/e 4-10-58									4	3.7	..
"	"	5	4.7	w/e 27-9-58									3	2.8	..
"	"	6	5.6	w/e 20-9-58									2	1.8	..
"	"	7	6.6	w/e 13-9-58									4	4.7	..
"	"	6	5.6	w/e 6-9-58									3	2.8	..
"	"	6	5.6	w/e 30-8-58									2	1.8	..
"	"	11	10.6	w/e 23-8-58								
"	"	8	7.7	w/e 16-8-58									1	0.9	..
"	"	7	6.6	w/e 9-8-58									3	2.8	..
"	"	2	1.8	w/e 2-8-58								
"	"	6	5.6	w/e 26-7-58									6	5.6	..
"	"	w/e 19-7-58									2	1.8	..
"	"	2	1.8	w/e 12-7-58									1	0.9	..
"	"	1	0.9	w/e 5-7-58									2	1.8	..
"	"	1	0.9	w/e 28-6-58									2	1.8	..
"	"	3	2.8	w/e 21-6-58								
"	"	3	2.8	w/e 14-6-58									1	0.9	..
West Bengal															
w/e 20-12-58															
Asansol	96	4	2.2	4	2.2	..	
Baidyabati† Bally	71	20	14.7	3	6	19	14.0	9	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates;

†Figures not available.

Explanation of Symbols used :—B.=Births ; B. R.=Birth Rate ; C.=Cholera ; S.=Smallpox, P.=Plague ; F.=Fever ; D. D.=Dysentery and Diarrhoea ; R. D.=Respiratory Diseases ; M. D.=Maternal Deaths ; D. R.=Death Rate ; I. D.=Infantile Deaths (included in total deaths) ; ..=Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 3rd January, 1959—contd

Town	Mid-year Popn. Est. (000)	B.	B.R.*	Deaths from :—								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
West Bengal—contd.				w/e 8-11-58—contd.										
Bankura . . .	51	27	27.6	1	1	1	..	10	10.2	..	
Bansberia†														
Baranagar . . .	99	41	21.6	2	3	..	14	7.4	3	
Basirhat . . .	43	13	15.8	3	3.6	..	
Berhampur . . .	69	68	51.4	3	2	14	10.6	3	
Bhadreswar . . .	44	9	10.7	1	2	2.4	..	
Bhatpara . . .	150	25	8.7	5	3	3	..	31	10.8	11	
Burdwan . . .	85	20	12.3	7	4.3	..	
Calcutta . . .	2,931	1,400	24.9	2	17	58	150	2	654	11.6	181	
Champdani . . .	41	7	8.9	
Cooch-Behar†														
Darjeeling†	39	20	26.7	2	..	4	..	9	12.0	..	
English Bazar . . .	37	2	2.8	1	1	1.4	..	
Garden Reach . . .	131	23	9.2	3	1	1	..	14	5.6	4	
Halisahar . . .	43	3	3.6	
Hooghly-Chinsura . . .	63	44	36.4	2	6	5.0	..	
Howrah . . .	477	129	14.1	3	12	38	..	126	14.1	38	
Jalpaiguri†														
Kamarhati†														
Kanchrapara†														
Krishnagar . . .	69	2	1.5	
Midnapur . . .	47	119	132.0	2	1	..	7	7.8	..	
Nabadwip . . .	87	63	37.8	1	2	1.2	..	
Naihati . . .	67	6	4.7	4	3.1	1	
North Barrackpore . . .	37	4	5.6	1	4	5.6	..	
Panihati†														
Santipur . . .	55	16	15.2	3	2.8	..	
Sehrampur . . .	92	44	24.9	2	1	4	..	20	11.3	8	
Siliguri†														
South Dum Dum . . .	114	3	1.4	1	0.5	..	
South Suburban . . .	149	42	14.7	2	7	..	14	4.9	5	
Titagarh†														
Purulia . . .	52	6	6.0	1	3	3.0	..	
Budge Budge . . .	32	12	19.6	1	1	2	..	5	8.1	3	
Chandernagore . . .	58	50	45.0	1	2	3	..	19	17.1	2	
Kharagpur . . .	79	4	2.6	
TOTAL :	5,408	2,226	21.5	2	45	90	223	2	999	9.6	268	

West Bengal*w/e 27-12-1958*

Asansol†													
Baidyabati†													
Bally . . .	71	12	8.8	1	..	5	3.7	1
Bankura . . .	51	6	6.1	1	1.0	..
Bansberia †													
Baranagar . . .	99	32	16.9	1	3	4	..	12	6.3	2
Basirhat . . .	43	8	9.7
Berhampur . . .	69	70	52.9	1	1	2	..	17	12.8	4
Bhadreswar . . .	44	10	11.9	2	2.4	..
Bhatpara . . .	150	32	11.1	8	2	3	..	31	10.8	7
Burdwan . . .	85	20	12.3	2	1	9	5.5	..
Calcutta . . .	2,931	1,497	26.6	..	1	..	23	46	154	1	660	11.7	196
Champdani . . .	41	18	22.9	3	3.8	..
Cooch-Behar†													
Darjeeling . . .	39	21	28.1	3	..	1	..	12	16.0	..
English Bazar . . .	37	22	31.0	3	4.2	..
Garden Reach . . .	131	15	6.0	2	..	2	..	6	2.4	1
Halisahar . . .	43	2	2.4	2	2.4	..

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.=Births, B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths-(included in total deaths); ..=Nil Information.

Births and Deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 3rd January, 1959—*contd.*

Town	Mid-year Popn. Est. (000)	Deaths from :—										Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
West Bengal—contd.														
Hooghly-Ghinsura . . .	63	63	52.0	5	2	1	..	17	14.1	2	
Howrah	477	191	20.9	4	15	45	..	146	16.0	44	
Jalpaiguri†														
Kamarhati †														
Kanchrapara	104	8	4.0	
Krishnagar	69	2	1.5	..	
Midnapur	47	17	18.9	2	2	32	35.5	..	
Nabadwip	87	27	16.2	..	1	..	9	2	1	1	16	9.6	1	
Naihati	67	7	5.4	2	..	1	..	4	3.1	1	
North Barrackpore . . .	37	5	7.0	1	..	1	1.4	..	
Panihati †														
Santipur	55	24	22.8	1	2	..	7	6.6	1	
Sehrampur	92	43	24.4	1	2	2	..	20	11.3	8	
Siliguri†														
South Dum Dum†														
South Suburban	149	31	10.8	3	9	..	19	6.6	6	
Titagarh†														
Purulia	52	6	6.0	1	3	3.0	..	
Budge Budge	32	16	26.1	4	6.5	..	
Chandranagore	58	50	45.0	1	1	..	1	3	5	1	34	30.6	..	
Kharagpur	79	2	1.3	
TOTAL	5,302	2,255	22.5	1	3	..	63	82	236	4	1,068	10.5	274	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D. D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil Information.

REMARKS

The figures of births and deaths in this statement for week ending 3rd January 1959 relate to 80 towns from the States of Delhi, Mysore, Orissa, Pondicherry, Punjab, Rajasthan and Uttar Pradesh with a population Coverage of 12,500 thousands out of the total population of 46.461 thousands in 320 towns of the country. The number of births and deaths recorded in these towns were 7,668

and 2,872 registering birth and death rates of 31.9 and 11.9 per thousand of population respectively

The town of Berhampur and Puri in Orissa state recorded high death rates of 31.5 and 30.6 per thousand of population respectively. The following table gives the registered rates for different States :—

States	Current w/e 3-1-1959		Corresponding w/e last year	
	B.R.	D.R.	B.R.	D.R.
Delhi	26.8	8.8	26.3	5.4
Mysore	29.1	11.3	25.9	12.1
Orissa	60.2	27.4	46.7	25.8
Pondicherry	68.0	10.7	46.6	22.9
Punjab	43.7	11.4	40.1	11.7
Rajasthan	14.8	8.5	16.6	10.8
Uttar Pradesh	32.2	13.4	29.3	12.2
India	31.9	11.9	30.0	11.1

NEW DELHI-2 (INDIA); }
The 27th January, 1959. }

H. R. SHARMA,
for Registrar General, India.

Weekly Cotton Press Return

1 Statement of Cotton Pressed in India For the weeks ending 5th, 12th, 19th and 26th of the month
of September, 1958

[Section 5 (2) of the cotton Ginning and Pressing Factories Act, 1925 as adopted by the Adaptation of Laws Order, 1950]

(In Running bales)

[illegible]

Weekly Cotton Press Return—*concl.*I.—Statement of Cotton pressed in India for the weeks ending 5th, 12th, 19th, and 26th of the month of September, 1958—*concl.*

(In Running bales)

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
3. Lower Doab & Bijnorkhand ¹⁸	U. P. Desi
	Perso-American
	TOTAL
4. Kosi and Lohit ¹⁹	U. P. Desi
	Perso-American
	TOTAL
5. Rest of the U.P. State ²⁰	U. P. Desi
	Perso-American
	TOTAL
STATE TOTAL															
Cotton Lint		4	48	34	..	86	..	86
Cotton Waste		134	293	427	23(4)	427
VIII. West Bengal ¹	Comilla	50	495	173	194	..	912	28	54	..	82	912	82
	Hyderabad American
	Cotton Lint	50	495	173	194	..	912	28	54	..	82	912	82
Cotton Waste		90	117	19	167	..	393	..	6	38	44	393	44
IX. Mysore ¹	Mysore American	1,57	207	157	51	..	572	2	105	175	233	..	515	572	515
	Kumta Ordinary	74	182	127	358	..	741	462	544	785	156	..	1,947	741	1,947
	Jayadhar Bourbon	5,24	405	537	785	..	2,251	199	238	476	913	2,251	913
	Nadam, Bourbon & Uppam
	Lakshmi	5,00	152	80	60	..	798	..	200	50	250	798	250
	Others	2,03	171	105	421	..	900	200	..	80	280	900	280
	STATE TOTAL														
Cotton Lint		1,458	1,117	1,006	1,681	..	5,262	863	1,087	1,506	389	..	3,905	5,262	3,905
Cotton Waste		13	51	74	9	..	147	48	37	..	85	147	85
X. RAJASTHAN ¹	M. B. & Rajasthan Americans
	Rajasthan Desi
	M. B. Oomras
	Malvi
	Jarila
	U. P. Desi
STATE TOTAL															
Cotton Lint	
Cotton Waste	
XI. Tripura ¹	Cotton Lint
	Comillas
	Cotton Waste
All-India	Cotton Lint	6,549	6,709	5,460	6,862	..	25,580	2,802	3,899	5,470	2,734	..	14,705	25,580 (u)	14,705
	Cotton Waste	3,073	2,110	2,953	2,924	..	11,060	2,375	3,031	1,150	817	..	7,373	11,083	7,373

1. The whole State.

2. Guntur, Kurnool, Anantapur, Duddapah, East Godavari and Krishana.

3. Wasangal, Karimnagar, Adimabad, Medak, Nizambad, Mahboobnagar and Nalgonda.

4. Thana, Kolaba and Greater Bombay.

5. Surat, Broach, Panchmahals, Kaira, Banas Kantha, Sabarkantha, Baroda, Mehsana, Ahmedabad & Amreli.

6. Halar, Madhya, Saurashtra, Zelanwad, Sorata, Gohilwad, Kutch and Amreli.

7. Aurangabad, Baur, Farbhari, Nanded and Osmanabad.

8. Akola, Amaravati, Buldana, Yeotmal.

9. East Khandesh, West Khandesh and Nasik.

10. Ahmednagar, Sholapur, Bilepur.

11. Hissar, Rohtak, Gurgaon, Karnal, Ambala (including Simla Distt.).

12. Ludhiana, Kangra, Hoshiarpur and Jullundur.

13. Amritsar, Gurdaspur.

14. Ferozepur.

15. Dehradun, Saharanpur, Meerut, Bulandshahr, Aligarh, Muzaaffarnagar.

16. Mathura, Farrukhabad, Etah, Agra, Mainpuri, Etawah.

17. Poona, N. Satara, S. Satara, Belgaum, Dharwar, Kanara & Kolhapur.

NOTE:— Data in respect of Bhopal region of M.P. State and data for the corresponding weeks last year in respect of Mahakoshal region of M.P. State have not been included due to non-receipt of the returns from the State authorities.

(a) Includes 23 bales not reported before.

18. Kanpur, Fatehpur, Allahabad, Thana, Jalaun, Hamirpur, Banda.

19. Haridwar, Bareilly, Moradabad, Badaun, Bijnor, Pilibhit, Nainital, Almora, Garhwal, Shahjahanpur.

20. Mirzapur, Banaras, Gaziipur, Jaunpur, Azamgarh, Ballia, Gorakhpur, Basti, Gonda, Bahraich, Kheri, Sitapur, Lucknow, Barabanki, Ra Bareilly, Sultanpur, Fyzabad, Partapur, Unna.